

Kemtex – H.C.T. nv/sa
9800 DEINZE

Date printed 25.04.2023, Revision 08.02.2022

Version 1.0

Page 1 / 14

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

KEMTEX Kemfix 1K-MS-Windscreen adhesive
- 13.223021-01 KEMTEX Kemfix 1K-MS-Windscreen adhesive

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant uses

Adhesive

1.2.2 Uses advised against

None known.

1.3 Details of the supplier of the safety data sheet

Company
Kemtex – H.C.T. nv/sa
Europalaan 24b
9800 DEINZE / BELGIUM
Phone +32 (0) 9 380 45 43
Fax +32 (0) 9 380 46 00
Homepage www.kemtex.be
E-mail mail@kemtex.be

Address enquiries to

Technical information mail@kemtex.be

Safety Data Sheet sdb@chemiebuero.de (No dispatch of safety data sheets)
Safety data sheets are available from the supplier.

1.4 Emergency telephone number

Advisory body +49 (0)89-19240 (24h) (English)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture [REGULATION (EC) No 1272/2008]

No classification.

2.2 Label elements

The product is required to be labelled in accordance with regulation CLP.

Hazard pictograms none

Signal word none

Hazard statements none

Precautionary statements none

Special labelling EUH210 Safety data sheet available on request.

2.3 Other hazards

Human health dangers
In curing the material splits off a small amount of methanol.
The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Environmental hazards
This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.
The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Other hazards Further hazards were not determined with the current level of knowledge.

Kemtex – H.C.T. nv/sa
9800 DEINZE

Date printed 25.04.2023, Revision 08.02.2022

Version 1.0

Page 2 / 14

SECTION 3: Composition / Information on ingredients

3.1 Substances

not applicable

3.2 Mixtures

The product is a mixture.

Range [%]	Substance
1 - 2.5	Trimethoxyvinylsilane CAS: 2768-02-7, EINECS/ELINCS: 220-449-8, EU-INDEX: 014-049-00-0, Reg-No.: 01-2119513215-52-XXXX GHS/CLP: Flam. Liq. 3: H226 - Acute Tox. 4: H332 - Skin Sens. 1B: H317
0.1 - < 1	Bis-(2,2,6,6,-tetramethyl-4-piperidiny) sebacate CAS: 52829-07-9, EINECS/ELINCS: 258-207-9, Reg-No.: 01-2119537297-32-XXXX GHS/CLP: Eye Dam. 1: H318 - Aquatic Acute 1: H400 - Aquatic Chronic 2: H411 - Repr. 2: H361f

Comment on component parts

Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.
For full text of H-statements: see SECTION 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Take off contaminated clothing and wash before reuse.
Remove affected person from danger area, lay down.

Inhalation

Remove the victim into fresh air and keep him calm.
In the event of symptoms seek medical treatment.

Skin contact

When in contact with the skin, clean with soap and water.
If skin irritation or rash occurs: Get medical advice/attention.

Eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If eye irritation persists: Get medical advice/attention.

Ingestion

Get medical advice.
Do not induce vomiting.
Rinse out mouth and give plenty of water to drink.

4.2 Most important symptoms and effects, both acute and delayed

None known.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.
Forward this sheet to your doctor.

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media

All extinguishing media are suitable but method must take into account the surrounding area to minimize dispersion.

Extinguishing media that must not be used

Full water jet

5.2 Special hazards arising from the substance or mixture

Risk of formation of toxic pyrolysis products.
Carbon monoxide (CO)
Carbon dioxide (CO₂)
Nitrogen oxides (NO_x).
Sulphur oxides (SO_x).
Silicon compounds

Kemtex – H.C.T. nv/sa
9800 DEINZE

Date printed 25.04.2023, Revision 08.02.2022

Version 1.0

Page 3 / 14

5.3 Advice for firefighters

Do not inhale explosion and/or combustion gases.
Use self-contained breathing apparatus.

Fire residues and contaminated firefighting water must be disposed of in accordance within the local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.
Wear suitable protective equipment. For personal protection see SECTION 8.
High risk of slipping due to leakage/spillage of product.

6.2 Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers).
Do not discharge into the drains/surface waters/groundwater.

6.3 Methods and material for containment and cleaning up

Take up mechanically.
Take up residues with absorbent material (e.g. sand, sawdust, general purpose binder, diatomaceous earth).
Dispose of absorbed material in accordance within the regulations.

6.4 Reference to other sections

See SECTION 8+13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Use only in well-ventilated areas.
Provide suitable vacuuming at the processing area.
Avoid contact with eyes and skin. Use personal protective equipment.

Do not eat, drink or smoke when using this product.
Wash hands before breaks and after work.
Use barrier skin cream.
Take off contaminated clothing and wash before reuse.

7.2 Conditions for safe storage, including any incompatibilities

Keep only in original container.
Prevent penetration into the ground.
Do not store together with oxidizing agents.
Do not store together with food and animal food/diet.
Keep container tightly closed.
Keep container in a well-ventilated place.
Store in a dry place.
Protect from atmospheric moisture and water.
Keep away from frost.
Protect from heat/overheating and from sun.
Recommended storage temperature: 10 - 35°C

7.3 Specific end use(s)

See product use, SECTION 1.2

Kemtex – H.C.T. nv/sa

9800 DEINZE

Date printed 25.04.2023, Revision 08.02.2022

Version 1.0

Page 4 / 14

SECTION 8: Exposure controls / personal protection

8.1 Control parameters

Ingredients with occupational exposure limits to be monitored (EU)

Substance / EC LIMIT VALUES
Methanol
CAS: 67-56-1, EINECS/ELINCS: 200-659-6, EU-INDEX: 603-001-00-X
Eight hours: 200 ppm, 260 mg/m ³ , H

DNEL

Substance
Trimethoxyvinylsilane, CAS: 2768-02-7
Industrial, dermal, Long-term - systemic effects, 0.91 mg/kg bw/day
Industrial, inhalative, Long-term - systemic effects, 27.6 mg/m ³
general population, oral, Long-term - systemic effects, 0.63 mg/kg bw/day
general population, dermal, Long-term - systemic effects, 0.63 mg/kg bw/day
general population, inhalative, Long-term - systemic effects, 6.8 mg/m ³
Bis-(2,2,6,6,-tetramethyl-4-piperidiny) sebacate, CAS: 52829-07-9
Industrial, dermal, Long-term - systemic effects, 1.8 mg/kg bw/day
Industrial, inhalative, Long-term - systemic effects, 1.27 mg/m ³
general population, oral, Long-term - systemic effects, 180 µg/kg bw/day
general population, dermal, Long-term - systemic effects, 900 µg/kg bw/day
general population, inhalative, Long-term - systemic effects, 310 µg/m ³

PNEC

Substance
Trimethoxyvinylsilane, CAS: 2768-02-7
sediment (seawater), 0.15 mg/kg dw
sediment (freshwater), 1.5 mg/kg dw
seawater, 40 µg/L
soil, 0.06 mg/kg dw
freshwater, 400 µg/L
Bis-(2,2,6,6,-tetramethyl-4-piperidiny) sebacate, CAS: 52829-07-9
soil, 1.18 mg/kg soil dw (
sediment (seawater), 590 µg/kg sediment dw
sediment (freshwater), 5.9 mg/kg sediment dw
sewage treatment plants (STP), 1 mg/L
seawater, 380 ng/L
freshwater, 3.76 µg/L

Kemtex – H.C.T. nv/sa

9800 DEINZE

Date printed 25.04.2023, Revision 08.02.2022

Version 1.0

Page 5 / 14

8.2 Exposure controls

Additional advice on system design	Ensure adequate ventilation on workstation. Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of hazardous substances.
Eye protection	safety glasses (EN 166:2001)
Hand protection	The details concerned are recommendations. Please contact the glove supplier for further information. > 0.7 mm. Butyl rubber, >480 min (EN 374-1/-2/-3). > 0.7 mm. Neoprene, >480 min (EN 374-1/-2/-3). > 0.7 mm. Nitrile rubber, >480 min (EN 374-1/-2/-3).
Skin protection	Protective clothing (EN 340)
Other	Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier. Do not inhale vapours. Avoid contact with eyes and skin.
Respiratory protection	In the event of occupational exposure limits being exceeded or of inadequate ventilation: wear appropriate respiratory protection. Short term: filter apparatus, combination filter A-P2. (DIN EN 14387)
Thermal hazards	not applicable
Delimitation and monitoring of the environmental exposition	Comply with applicable environmental regulations limiting discharge to air, water and soil.

Kemtex – H.C.T. nv/sa

9800 DEINZE

Date printed 25.04.2023, Revision 08.02.2022

Version 1.0

Page 6 / 14

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	solid
Form	pasty
Color	black
Odor	characteristic
Odour threshold	No information available.
pH-value	not applicable
pH-value [1%]	not applicable
Boiling point [°C]	No information available.
Flash point [°C]	No information available.
Flammability	No information available.
Lower explosion limit	No information available.
Upper explosion limit	No information available.
Oxidising properties	no
Vapour pressure/gas pressure [kPa]	No information available.
Density [g/cm³]	1.48 - 1.54
Relative density	No information available.
Bulk density [kg/m³]	not applicable
Solubility in water	insoluble
Solubility other solvents	No information available.
Partition coefficient [n-octanol/water]	No information available.
Kinematic viscosity	No information available.
Relative vapour density	No information available.
Evaporation speed	No information available.
Melting point [°C]	No information available.
Auto-ignition temperature [°C]	No information available.
Decomposition temperature [°C]	No information available.
Particle characteristics	No information available.

9.2 Other information

Dynamic viscosity: 20000 - 35000 Pas (20°C).

SECTION 10: Stability and reactivity

10.1 Reactivity

Reactions with water.

10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

10.3 Possibility of hazardous reactions

Reactions with water.

10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Keep away from frost.
Keep away from water or from damp surroundings.

Kemtex – H.C.T. nv/sa

9800 DEINZE

Date printed 25.04.2023, Revision 08.02.2022

Version 1.0

Page 7 / 14

10.5 Incompatible materials

Water

Sensitive to moisture.

10.6 Hazardous decomposition products

The product hydrolyzes to form methanol.

In curing the material splits off a small amount of methanol.

In the event of fire: See SECTION 5.

Kemtex – H.C.T. nv/sa
9800 DEINZE

Date printed 25.04.2023, Revision 08.02.2022

Version 1.0

Page 8 / 14

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity

Product
Based on the available information, the classification criteria are not fulfilled.
Substance
Trimethoxyvinylsilane, CAS: 2768-02-7
LD50, oral, Rat, 7120 mg/kg (OECD TG 401)
NOAEL, oral, Rat, < 62.5 mg/kg (28 d) (OECD TG 422)
Bis-(2,2,6,6,-tetramethyl-4-piperidiny) sebacate, CAS: 52829-07-9
LD50, oral, Rat, > 2000 mg/kg

Acute dermal toxicity

Product
ATE-mix, dermal, 4595.8 mg/kg
Substance
Trimethoxyvinylsilane, CAS: 2768-02-7
LD50, dermal, Rabbit, 3259 mg/kg bw
Bis-(2,2,6,6,-tetramethyl-4-piperidiny) sebacate, CAS: 52829-07-9
LD50, dermal, Rat, > 2000 mg/kg

Acute inhalational toxicity

Product
ATE-mix, inhalation (vapour), 691.4 mg/l
Substance
Trimethoxyvinylsilane, CAS: 2768-02-7
LD50, inhalative, Rat, 16.8 mg/l (4 h) (OECD TG 403)
NOAEL, inhalative, Rat, 0.058 mg/l (98 d)
Bis-(2,2,6,6,-tetramethyl-4-piperidiny) sebacate, CAS: 52829-07-9
LC50, inhalative, Rat, 500 mg/m ³ , 4h

Serious eye damage/irritation

Based on the available information, the classification criteria are not fulfilled.

Substance
Trimethoxyvinylsilane, CAS: 2768-02-7
Eye, Rabbit, OECD 405, 24h, non-irritating
Bis-(2,2,6,6,-tetramethyl-4-piperidiny) sebacate, CAS: 52829-07-9
Eye, Rabbit, OECD 405, corrosive

Skin corrosion/irritation

Based on the available information, the classification criteria are not fulfilled.

Substance
Trimethoxyvinylsilane, CAS: 2768-02-7
dermal, Rabbit, 24h, non-irritating
Bis-(2,2,6,6,-tetramethyl-4-piperidiny) sebacate, CAS: 52829-07-9
dermal, Rabbit, OECD 404, non-irritating

Kemtex – H.C.T. nv/sa
9800 DEINZE

Date printed 25.04.2023, Revision 08.02.2022

Version 1.0

Page 9 / 14

Respiratory or skin sensitisation

OECD 406: No classification due to toxicological investigations.
(EUH 208) May cause sensitization in susceptible individuals.

Substance
Trimethoxyvinylsilane, CAS: 2768-02-7
dermal, sensitising
Bis-(2,2,6,6,-tetramethyl-4-piperidiny) sebacate, CAS: 52829-07-9
dermal, Guinea pig, OECD 406, non-sensitizing

Specific target organ toxicity — single exposure

Based on the available information, the classification criteria are not fulfilled.

Substance
Trimethoxyvinylsilane, CAS: 2768-02-7
inhalative, non-irritating

Specific target organ toxicity — repeated exposure

Based on the available information, the classification criteria are not fulfilled.

Substance
Trimethoxyvinylsilane, CAS: 2768-02-7
NOAEL, oral, Rat, 40 mg/kg bw/day (subchronic), The effects observed are not sufficient for classification.
NOAEC, inhalative, Rat, 605 mg/m ³ (subchronic), The effects observed are not sufficient for classification.
Bis-(2,2,6,6,-tetramethyl-4-piperidiny) sebacate, CAS: 52829-07-9
LOAEL, oral, Rat, 29 mg/kg bw/day

Mutagenicity

Based on the available information, the classification criteria are not fulfilled.

Substance
Trimethoxyvinylsilane, CAS: 2768-02-7
in vivo, negativ
in vitro, OECD 471, negativ
Bis-(2,2,6,6,-tetramethyl-4-piperidiny) sebacate, CAS: 52829-07-9
in vitro, OECD 476, negativ

Reproduction toxicity

Based on the available information, the classification criteria are not fulfilled.

- Fertility

Substance
Trimethoxyvinylsilane, CAS: 2768-02-7
NOAEL, oral, Rat, 300 mg/kg bw/day (subchronic), no adverse effect observed
Bis-(2,2,6,6,-tetramethyl-4-piperidiny) sebacate, CAS: 52829-07-9
NOAEL, Rat, 109 mg/kg bw/day

- Development

Substance
Trimethoxyvinylsilane, CAS: 2768-02-7
NOAEL, oral, Rabbit, 75 mg/kg bw/day (subacute), no adverse effect observed
NOAEC, inhalative, Rat, 1730 mg/m ³ (subacute), no adverse effect observed
Bis-(2,2,6,6,-tetramethyl-4-piperidiny) sebacate, CAS: 52829-07-9
NOAEL, Rat, 109 mg/kg bw/day

Carcinogenicity

Based on the available information, the classification criteria are not fulfilled.

Kemtex – H.C.T. nv/sa
9800 DEINZE

Date printed 25.04.2023, Revision 08.02.2022

Version 1.0

Page 10 / 14

Aspiration hazard Based on the available information, the classification criteria are not fulfilled.
General remarks

Toxicological data of complete product are not available.

11.2 Information on other hazards

Endocrine disrupting properties The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Other information none

SECTION 12: Ecological information

12.1 Toxicity

Product
EC50, (48h), Daphnia magna, 168.7 mg/l
Substance
Trimethoxyvinylsilane, CAS: 2768-02-7
LC50, (96h), Oncorhynchus mykiss, 191 mg/l
EC50, Pseudokirchneriella subcapitata, 210 mg/l (7 d) (US-EPA)
EC50, (48h), Daphnia magna, 168.7 mg/l (92/69/EWG C.2)
EC10, Pseudomonas putida, 1000 mg/l (5 h)
Bis-(2,2,6,6-tetramethyl-4-piperidiny) sebacate, CAS: 52829-07-9
LC50, (48h), Invertebrates, 8.58 mg/L
LC50, (96h), fish, 4.4 mg/L
EC50, (72h), Algae, 705 µg/L
EC50, (21d), Invertebrates, 960 - 1310 µg/L
IC50, (3h), Microorganisms, 100 mg/L
LC0, (96h), fish, 2.8 mg/L
NOEC, (21d), Invertebrates, 230 µg/L
NOEC, (48h), Invertebrates, 4 mg/L
LC100, (96h), fish, 7.4 mg/L
EC10, (72h), Algae, 188 µg/L
LOEC, (21d), Invertebrates, 610 µg/L

12.2 Persistence and degradability

Behaviour in environment compartments No information available.
Behaviour in sewage plant No information available.
Biological degradability CAS 2768-02-7: 51%, 28d
CAS 52829-07-9: 24%

12.3 Bioaccumulative potential

CAS 2768-02-7: Log Pow=1.1
CAS 52829-07-9: Log Pow=0.35

12.4 Mobility in soil

The product is insoluble in water.

Kemtex – H.C.T. nv/sa
9800 DEINZE

Date printed 25.04.2023, Revision 08.02.2022

Version 1.0

Page 11 / 14

12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

12.6 Endocrine disrupting properties

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Ecological data of complete product are not available.

Do not discharge product unmonitored into the environment or into the drainage.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

Product

Dispose of as hazardous waste.
For recycling, consult manufacturer.

Waste no. (recommended) 080410

Contaminated packaging

Packaging that cannot be cleaned should be disposed of as for product.

Waste no. (recommended) 150102
150104

SECTION 14: Transport information

14.1 UN number or ID number

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

14.2 UN proper shipping name

Transport by land according to ADR/RID NO DANGEROUS GOODS

Inland navigation (ADN) NO DANGEROUS GOODS

Marine transport in accordance with IMDG NOT CLASSIFIED AS "DANGEROUS GOODS"

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

Kemtex – H.C.T. nv/sa

9800 DEINZE

Date printed 25.04.2023, Revision 08.02.2022

Version 1.0

Page 12 / 14

14.3 Transport hazard class(es)

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

14.4 Packing group

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

14.5 Environmental hazards

Transport by land according to ADR/RID no

Inland navigation (ADN) no

Marine transport in accordance with IMDG no

Air transport in accordance with IATA no

14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

14.7 Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EEC-REGULATIONS 2008/98/EC 2000/532/EC; 2010/75/EU; 2004/42/EC; (EC) 648/2004; (EC) 1907/2006 (REACH); (EU) 1272/2008; 75/324/EEC ((EC) 2016/2037); (EU) 2020/878; (EU) 2016/131; (EU) 517/2014

TRANSPORT-REGULATIONS ADR (2023); IMDG-Code (2023, 41. Amdt.); IATA-DGR (2023)

NATIONAL REGULATIONS (EU):

- **Observe employment restrictions for people** Observe employment restrictions for women of child-bearing age, for mothers-to-be and nursing mothers and for young people.
Annex XVII of the REACH Regulation, restriction 20.

- **VOC (2010/75/CE)** No information available.

Kemtex – H.C.T. nv/sa
9800 DEINZE

Date printed 25.04.2023, Revision 08.02.2022

Version 1.0

Page 13 / 14

15.2 Chemical safety assessment

For this product a chemical safety assessment has not been carried out.

SECTION 16: Other information

16.1 Hazard statements (SECTION 3)

H361f Suspected of damaging fertility.
H411 Toxic to aquatic life with long lasting effects.
H400 Very toxic to aquatic life.
H318 Causes serious eye damage.

H317 May cause an allergic skin reaction.
H332 Harmful if inhaled.
H226 Flammable liquid and vapour.

16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route
RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses
ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure
ATE = acute toxicity estimate
CAS = Chemical Abstracts Service
CLP = Classification, Labelling and Packaging
DMEL = Derived Minimum Effect Level
DNEL = Derived No Effect Level
EC50 = Median effective concentration
ECB = European Chemicals Bureau
EEC = European Economic Community
EINECS = European Inventory of Existing Commercial Chemical Substances
EL50 = Median effective loading
ELINCS = European List of Notified Chemical Substances
EmS = Emergency Schedules
GHS = Globally Harmonized System of Classification and Labelling of Chemicals
IATA = International Air Transport Association
IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
IC50 = Inhibition concentration, 50%
IMDG = International Maritime Code for Dangerous Goods
IUCLID = International Uniform Chemical Information Database
IVIS = In vitro irritation score
LC50 = Lethal concentration, 50%
LD50 = Median lethal dose
LC0 = lethal concentration, 0%
LOAEL = lowest-observed-adverse-effect level
LL50 = Median lethal loading
LQ = Limited Quantities
MARPOL = International Convention for the Prevention of Marine Pollution from Ships
NOAEL = No Observed Adverse Effect Level
NOEC = No Observed Effect Concentration
PBT = Persistent, Bioaccumulative and Toxic substance
PNEC = Predicted No-Effect Concentration
REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals
STP = Sewage Treatment Plant
TLV®/TWA = Threshold limit value – time-weighted average
TLV®STEL = Threshold limit value – short-time exposure limit
VOC = Volatile Organic Compounds
vPvB = very Persistent and very Bioaccumulative

16.3 Other information

Classification procedure

Kemtex – H.C.T. nv/sa
9800 DEINZE

Date printed 25.04.2023, Revision 08.02.2022

Version 1.0

Page 14 / 14

Modified position

SECTION 2 been added: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 2 been added: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 2 been added: In curing the material splits off a small amount of methanol.

SECTION 2 been added: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 4 been added: Forward this sheet to your doctor.

SECTION 7 been added: Do not store together with food and animal food/diet.

SECTION 7 been added: Protect from atmospheric moisture and water.

SECTION 7 been added: Keep away from frost.

SECTION 10 been added: Sensitive to moisture.

SECTION 10 been added: In curing the material splits off a small amount of methanol.

SECTION 10 been added: Reactions with water.

SECTION 10 been added: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

SECTION 10 been added: Keep away from water or from damp surroundings.

SECTION 10 been added: Water

SECTION 10 been added: The product hydrolyzes to form methanol.

SECTION 10 been added: Keep away from frost.

SECTION 11 been added: No classification due to toxicological investigations.

SECTION 11 been added: May cause sensitization in susceptible individuals.

SECTION 11 been added: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12 been added: Based on all available information not to be classified as PBT or vPvB respectively.

SECTION 12 been added: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12 been added: The product is insoluble in water.

SECTION 15 been added: Observe employment restrictions for women of child-bearing age, for mothers-to-be and nursing mothers and for young people.

SECTION 15 been added: Annex XVII of the REACH Regulation, restriction [x].



Copyright: Chemiebüro®

